


What is Claimed is:

1. A compound of formula I



wherein:

- 5 A = CR¹ or N,
 B = CR² or N,
 D = CR³ or N,
 E = CR⁴ or N and
 F = CR⁵ or N;

- 10 and the maximum number of nitrogen atoms amongst A, B, D, E, and F is two;
 where m = 1-3 and n = 1-3

 and excluding all compounds where m = n = 2;

- where each R¹, R², R³, R⁴ and R⁵ is independently selected from F, Cl, Br, I, nitro, cyano, CF₃, -NR⁶R⁷, -NR⁶C(=O)R⁷, -NR⁶C(=O)NR⁷R⁸, -NR⁶C(=O)OR⁷, -NR⁶S(=O)₂R⁷,
 15 -NR⁶S(=O)₂NR⁷R⁸, -OR⁶, -OC(=O)R⁶, -OC(=O)OR⁶, -OC(=O)NR⁶R⁷, -OC(=O)SR⁶,
 -C(=O)OR⁶, -C(=O)R⁶, -C(=O)NR⁶R⁷, -SR⁶, -S(=O)R⁶, -S(=O)₂R⁶, -S(=O)₂NR⁶R⁷, and a
 substituent from the definition of R⁶;

- each R⁶, R⁷, and R⁸ is independently selected from H, straight chain or branched (C₁-C₈)alkyl, straight chain or branched (C₂-C₈)alkenyl, straight chain or branched
 20 (C₂-C₈)alkynyl, (C₃-C₈)cycloalkyl, (C₄-C₈)cycloalkenyl, 3-8 membered heterocycloalkyl, (C₅-C₁₁)bicycloalkyl, (C₇-C₁₁)bicycloalkenyl, 5-11 membered heterobicycloalkyl, 5-11
 membered heterobicycloalkenyl, (C₆-C₁₁) aryl, and 5-12 membered heteroaryl; wherein each
 R⁶, R⁷, and R⁸ is optionally substituted with from one to six substituents, independently
 selected from F, Cl, Br, I, nitro, cyano, CF₃, -NR⁹R¹⁰, -NR⁹C(=O)R¹⁰, -NR⁹C(=O)NR¹⁰R¹¹,
 25 -NR⁹C(=O)OR¹⁰, -NR⁹S(=O)₂R¹⁰, -NR⁹S(=O)₂NR¹⁰R¹¹, -OR⁹, -OC(=O)R⁹, -OC(=O)OR⁹,
 -OC(=O)NR⁹R¹⁰, -OC(=O)SR⁹, -C(=O)OR⁹, -C(=O)R⁹, -C(=O)NR⁹R¹⁰, -SR⁹, -S(=O)R⁹,
 -S(=O)₂R⁹, -S(=O)₂NR⁹R¹⁰ and R⁹;

- or R¹ and R², or R² and R³, or R³ and R⁴, or R⁴ and R⁵, may form another
 6-membered aromatic or heteroaromatic ring sharing A and B, or B and D, or D and E, or E
 30 and F, respectively, and may be optionally substituted with from one to four substituents
 independently selected from the group of radicals set forth in the definition of R⁶, R⁷ and R⁸
 above;

each R⁹, R¹⁰ and R¹¹ is independently selected from H, straight chain or branched (C₁-C₈)alkyl, straight chain or branched (C₂-C₈)alkenyl, straight chain or branched (C₂-C₈)alkynyl, (C₃-C₈)cycloalkyl, (C₄-C₈)cycloalkenyl, 3-8 membered heterocycloalkyl, (C₅-C₁₁)bicycloalkyl, (C₇-C₁₁)bicycloalkenyl, 5-11 membered heterobicycloalkyl, (5-11 membered) heterobicycloalkenyl, (C₆-C₁₁) aryl or 5-12 membered heteroaryl; wherein each R⁹, R¹⁰ and R¹¹ is optionally substituted with from one to six substituents independently selected from F, Cl, Br, I, nitro, cyano, CF₃, -NR¹²R¹³, -NR¹²C(=O)R¹³, -NR¹²C(=O)NR¹³R¹⁴, -NR¹²C(=O)OR¹³, -NR¹²S(=O)₂R¹³, -NR¹²S(=O)₂NR¹³R¹⁴, -OR¹², -OC(=O)R¹², -OC(=O)OR¹², -OC(=O)NR¹²R¹³, -OC(=O)SR¹², -C(=O)OR¹², -C(=O)R¹², -C(=O)NR¹²R¹³, -SR¹², -S(=O)R¹², -S(=O)₂R¹², -S(=O)₂NR¹²R¹³ and R¹²;

each R¹², R¹³, and R¹⁴ is independently selected from H, straight chain or branched (C₁-C₈)alkyl, straight chain or branched (C₂-C₈)alkenyl, straight chain or branched (C₂-C₈)alkynyl, (C₃-C₈)cycloalkyl, (C₄-C₈)cycloalkenyl, 3-8 membered heterocycloalkyl, (C₅-C₁₁)bicycloalkyl, (C₇-C₁₁)bicycloalkenyl, 5-11 membered heterobicycloalkyl, 5-11 membered heterobicycloalkenyl, (C₆-C₁₁) aryl and (5-12 membered) heteroaryl;

and all enantiomeric, diastereomeric, and tautomeric isomers and pharmaceutically acceptable salts thereof.

2. A compound according to claim 1 wherein one or two of A, B, D or E is N.
3. A compound according to claim 1 wherein A and B are both N.
4. A compound according to claim 1 wherein A and E are both N.
5. A compound according to claim 1 wherein B and E are both N.
6. A compound according to claim 1 wherein one of A, B or E is N.
7. A compound according to claim 1 wherein one of A or B is N.
8. A compound according to claim 1 wherein each R¹, R², R³, R⁴ and R⁵ is independently selected from H, halo, (C₁-C₆)alkyl, (C₁-C₆)alkoxy, (C₁-C₆)fluoroalkyl, cyano, (C₁-C₆)alkoxycarbonyl; phenyl substituted or unsubstituted with halo, (C₁-C₆)alkyl, (C₁-C₆)alkoxy, (C₁-C₆)fluoroalkyl; and heteroaryl; or where any one of the R¹ and R², or R² and R³, or R³ and R⁴, or R⁴ and R⁵ pairs located on adjacent carbon atoms join to form an unsaturated (C₄)alkylene bridge.
9. A compound according to claim 1 wherein m =1 and n =1
10. A compound according to claim 1 wherein m =1 and n =2.
11. A compound according to claim 1 wherein m =1 and n =3.
12. A compound according to claim 1 wherein m =2 and n =3.
13. A compound according to claim 1 wherein m =3 and n =3.

14. A compound according to claim 1 selected from the group consisting of:
- 4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 5 4-Pyridin-2-yl-1,4-diaza-bicyclo[3.2.1]octane;
- 4-Pyridin-3-yl-1,4-diaza-bicyclo[3.2.1]octane;
- 4-Pyridin-4-yl-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 10 4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.2.1]octane;
- 4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 15 4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.2.1]octane;
- 5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-nicotinonitrile;
- 4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 20 4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 3-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-quinoline;
- 4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 25 4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-nicotinic acid ethyl ester;
- 4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 30 4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 35 4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
- 4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;

- 4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
5 5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-[3,4']bipyridinyl; and
4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane.
15. A compound according to claim 1 selected from the group consisting of:
- (+)-4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
10 (+)-4-Pyridin-2-yl-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-Pyridin-3-yl-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-Pyridin-4-yl-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
15 (+)-4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
20 (+)-4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-nicotinonitrile;
(+)-4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
25 (+)-4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
(+)-3-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-quinoline;
(+)-4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
30 (+)-4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-nicotinic acid ethyl ester;
(+)-4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
35 (+)-4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
(+)-4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;

- (+)-4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 5 (+)-4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (+)-4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 10 (+)-5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-[3,4']bipyridinyl; and
 (+)-4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane.
16. A compound according to claim 1 selected from the group consisting of:
- (-)-4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 15 (-)-4-Pyridin-2-yl-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-Pyridin-3-yl-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-Pyridin-4-yl-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 20 (-)-4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 25 (-)-4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-nicotinonitrile;
 (-)-4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 30 (-)-4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-3-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-quinoline;
 (-)-4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 35 (-)-4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;

- (-)-5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-nicotinic acid ethyl ester;
 (-)-4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 5 (-)-4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 10 (-)-4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.2.1]octane;
 (-)-4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane;
 15 (-)-5-(1,4-Diaza-bicyclo[3.2.1]oct-4-yl)-[3,4']bipyridinyl; and
 (-)-4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.2.1]octane.
17. A compound according to claim 1 selected from the group consisting of:
- 4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 20 4-Pyridin-2-yl-1,4-diaza-bicyclo[3.1.1]heptane;
 4-Pyridin-3-yl-1,4-diaza-bicyclo[3.1.1]heptane;
 4-Pyridin-4-yl-1,4-diaza-bicyclo[3.1.1]heptane;
 4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 25 4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.1.1]heptane;
 4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.1.1]heptane;
 4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
 30 4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.1.1]heptane;
 5-(1,4-Diaza-bicyclo[3.1.1]hept-4-yl)-nicotinonitrile;
 4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
 4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
 4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
 35 4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
 4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
 3-(1,4-Diaza-bicyclo[3.1.1]hept-4-yl)-quinoline;

- 4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
5 4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
5-(1,4-Diaza-bicyclo[3.1.1]hept-4-yl)-nicotinic acid ethyl ester;
4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
10 4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
15 4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.1.1]heptane;
4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane;
20 5-(1,4-Diaza-bicyclo[3.1.1]hept-4-yl)-[3,4']bipyridinyl; and
4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.1.1]heptane.
18. A compound according to claim 1 selected from the group consisting of:
4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
25 4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.1]nonane;
4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.1]nonane;
4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.1]nonane;
4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
30 4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.1]nonane;
4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.1]nonane;
4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
35 4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.1]nonane;
5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-nicotinonitrile;
4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;

- 4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 5 3-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-quinoline;
 4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 10 4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-nicotinic acid ethyl ester;
 4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 15 4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 20 4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 25 5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-[3,4']bipyridinyl; and
 4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane.
19. A compound according to claim 1 selected from the group consisting of:
- (+)-4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 30 (+)-4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 35 (+)-4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.1]nonane;

- (+)-4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-nicotinonitrile;
 5 (+)-4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 10 (+)-3-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-quinoline;
 (+)-4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 15 (+)-4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-nicotinic acid ethyl ester;
 (+)-4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 20 (+)-4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 25 (+)-4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
 (+)-4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 30 (+)-5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-[3,4']bipyridinyl; and
 (+)-4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane.
20. A compound according to claim 1 selected from the group consisting of:
- (-)-4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 (-)-4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
 35 (-)-4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.1]nonane;
 (-)-4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.1]nonane;
 (-)-4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.1]nonane;

- (-)-4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.1]nonane;
5 (-)-4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-nicotinonitrile;
10 (-)-4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
15 (-)-3-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-quinoline;
(-)-4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
20 (-)-4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-nicotinic acid ethyl ester;
(-)-4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
25 (-)-4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
30 (-)-4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.1]nonane;
(-)-4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane;
35 (-)-5-(1,4-Diaza-bicyclo[3.3.1]non-4-yl)-[3,4']bipyridinyl; and
(-)-4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.1]nonane.

21. A compound according to claim 1 selected from the group consisting of:

- 4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.2]decane;
 4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.2]decane;
 5 4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.2]decane;
 4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.2]decane;
 10 4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.2]decane;
 4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.2]decane;
 5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-nicotinonitrile;
 15 4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 20 3-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-quinoline;
 4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 25 4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-nicotinic acid ethyl ester;
 4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 30 4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 35 4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
 4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;

4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza- bicyclo[3.3.2]decane;
4-(5-Methoxy-pyridin-3-yl)-1,4-diaza- bicyclo[3.3.2]decane;
5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-[3,4']bipyridinyl; and
4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza- bicyclo[3.3.2]decane.

- 5 22. A compound according to claim 1 selected from the group consisting of:
- (+)-4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.2]decane;
10 (+)-4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.2]decane;
15 (+)-4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-nicotinonitrile;
20 (+)-4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
25 (+)-3-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-quinoline;
(+)-4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
30 (+)-4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-nicotinic acid ethyl ester;
(+)-4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(6-Methyl-pyridin-3-yl)-1,4-diaza- bicyclo[3.3.2]decane;
(+)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza- bicyclo[3.3.2]decane;
35 (+)-4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza- bicyclo[3.3.2]decane;
(+)-4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza- bicyclo[3.3.2]decane;
(+)-4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza- bicyclo[3.3.2]decane;

- (+)-4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
5 (+)-4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(+)-4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(+)-5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-[3,4']bipyridinyl; and
(+)-4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane.
- 10 23. A compound according to claim 1 selected from the group consisting of:
(-)-4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.2]decane;
15 (-)-4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.2]decane;
20 (-)-4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-nicotinonitrile;
25 (-)-4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
30 (-)-3-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-quinoline;
(-)-4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
35 (-)-4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-nicotinic acid ethyl ester;
(-)-4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;

- (-)-4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.2]decane;
5 (-)-4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
10 (-)-4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.2]decane;
(-)-4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane;
(-)-5-(1,4-Diaza-bicyclo[3.3.2]dec-4-yl)-[3,4']bipyridinyl; and
(-)-4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.2]decane.
15 24. A compound according to claim 1 selected from the group consisting of:
4-(5-Bromo-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-(5-Phenyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-Pyridin-2-yl-1,4-diaza-bicyclo[3.3.3]undecane;
4-Pyridin-3-yl-1,4-diaza-bicyclo[3.3.3]undecane;
20 4-Pyridin-4-yl-1,4-diaza-bicyclo[3.3.3]undecane;
4-(5-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-(5-Bromo-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-(6-Phenyl-pyridazin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-Pyrazin-2-yl-1,4-diaza-bicyclo[3.3.3]undecane;
25 4-Pyrimidin-5-yl-1,4-diaza-bicyclo[3.3.3]undecane;
4-(5-Chloro-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-[5-(3-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
4-(3-Bromo-phenyl)-1,4-diaza-bicyclo[3.3.3]undecane;
5-(1,4-Diaza-bicyclo[3.3.3]undec-4-yl)-nicotinonitrile;
30 4-(5-Trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-[5-(2-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
4-[5-(4-Trifluoromethyl-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
4-[5-(2-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
4-[5-(4-Fluoro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
35 3-(1,4-Diaza-bicyclo[3.3.3]undec-4-yl)-quinoline;
4-(3-Trifluoromethyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
4-(6-Methoxy-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.3]undecane;

- 4-[5-(2-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(3-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-(5-o-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
 5-(1,4-Diaza-bicyclo[3.3.3]undec-4-yl)-nicotinic acid ethyl ester;
 5 4-(5-Chloro-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
 4-(6-Methyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(3-Trifluoromethyl-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(4-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-(5-o-Tolyl-pyridin-2-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
 10 4-[5-(3-Chloro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(3-Fluoro-phenyl)-pyridin-2-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(4-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(2,4-Dichloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(3-Chloro-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 15 4-(5-p-Tolyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
 4-[5-(4-Methoxy-phenyl)-pyridin-3-yl]-1,4-diaza-bicyclo[3.3.3]undecane;
 4-(5-Methoxy-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane;
 5-(1,4-Diaza-bicyclo[3.3.3]undec-4-yl)-[3,4']bipyridinyl; and
 4-(2-Methyl-5-trifluoromethyl-pyridin-3-yl)-1,4-diaza-bicyclo[3.3.3]undecane.
- 20 25. A pharmaceutical composition for treating a disorder or condition selected from inflammatory bowel disease, ulcerative colitis, pyoderma gangrenosum, Crohn's disease, irritable bowel syndrome, spastic dystonia, chronic pain, acute pain, celiac sprue, pouchitis, vasoconstriction, anxiety, panic disorder, depression, bipolar disorder, autism, sleep disorders, jet lag, amyotrophic lateral sclerosis (ALS), cognitive dysfunction; drug/toxin-
- 25 induced cognitive impairment arising from alcohol, barbiturates, vitamin deficiencies, recreational drugs, lead, arsenic, or mercury; disease-induced cognitive impairment arising from Alzheimer's disease, senile dementia, vascular dementia, Parkinson's disease, multiple sclerosis, AIDS, encephalitis, trauma, renal and hepatic encephalopathy, hypothyroidism, Pick's disease, Korsakoff's syndrome, frontal dementia or subcortical dementia; hypertension,
- 30 bulimia, anorexia, obesity, cardiac arrhythmias, gastric acid hypersecretion, ulcers, pheochromocytoma, progressive supramuscular palsy; chemical dependencies and addictions on or to nicotine, tobacco products, alcohol, benzodiazepines, barbiturates, opioids or cocaine; headache, migraine, stroke, traumatic brain injury (TBI), obsessive-compulsive disorder (OCD), psychosis, Huntington's chorea, tardive dyskinesia, hyperkinesia, dyslexia,
- 35 schizophrenia, multi-infarct dementia, age-related cognitive decline, epilepsy, including petit mal absence epilepsy, attention deficit hyperactivity disorder (ADHD), and Tourette's

Syndrome in a mammal, comprising an amount of a compound according to claim 1 that is effective in treating such disorder or condition and a pharmaceutically acceptable carrier.

26. A method of treating a disorder or condition selected from inflammatory bowel disease, ulcerative colitis, pyoderma gangrenosum, Crohn's disease, irritable bowel syndrome, spastic dystonia, chronic pain, acute pain, celiac sprue, pouchitis, vasoconstriction, anxiety, panic disorder, depression, bipolar disorder, autism, sleep disorders, jet lag, amyotrophic lateral sclerosis (ALS), cognitive dysfunction; drug/toxin-induced cognitive impairment arising from alcohol, barbiturates, vitamin deficiencies, recreational drugs, lead, arsenic, or mercury; disease-induced cognitive impairment arising from Alzheimer's disease, senile dementia, vascular dementia, Parkinson's disease, multiple sclerosis, AIDS, encephalitis, trauma, renal and hepatic encephalopathy, hypothyroidism, Pick's disease, Korsakoff's syndrome, frontal dementia or subcortical dementia; hypertension, bulimia, anorexia, obesity, cardiac arrhythmias, gastric acid hypersecretion, ulcers, pheochromocytoma, progressive supramuscular palsy; chemical dependencies and addictions on or to nicotine, tobacco products, alcohol, benzodiazepines, barbiturates, opioids or cocaine; headache, migraine, stroke, traumatic brain injury (TBI), obsessive-compulsive disorder (OCD), psychosis, Huntington's chorea, tardive dyskinesia, hyperkinesia, dyslexia, schizophrenia, multi-infarct dementia, age-related cognitive decline, epilepsy, including petit mal absence epilepsy, attention deficit hyperactivity disorder (ADHD), and Tourette's Syndrome in a mammal, comprising administering to a mammal in need of such treatment an amount of a compound according to claim 1 that is effective in treating such disorder or condition.

27. A pharmaceutical composition for treating a disorder or condition selected from inflammatory bowel disease, ulcerative colitis, pyoderma gangrenosum, Crohn's disease, irritable bowel syndrome, spastic dystonia, chronic pain, acute pain, celiac sprue, pouchitis, vasoconstriction, anxiety, panic disorder, depression, bipolar disorder, autism, sleep disorders, jet lag, amyotrophic lateral sclerosis (ALS), cognitive dysfunction; drug/toxin-induced cognitive impairment arising from alcohol, barbiturates, vitamin deficiencies, recreational drugs, lead, arsenic, or mercury; disease-induced cognitive impairment arising from Alzheimer's disease, senile dementia, vascular dementia, Parkinson's disease, multiple sclerosis, AIDS, encephalitis, trauma, renal and hepatic encephalopathy, hypothyroidism, Pick's disease, Korsakoff's syndrome, frontal dementia or subcortical dementia; hypertension, bulimia, anorexia, obesity, cardiac arrhythmias, gastric acid hypersecretion, ulcers, pheochromocytoma, progressive supramuscular palsy; chemical dependencies and addictions on or to nicotine, tobacco products, alcohol, benzodiazepines, barbiturates, opioids or cocaine; headache, migraine, stroke, traumatic brain injury (TBI), obsessive-compulsive disorder (OCD), psychosis, Huntington's chorea, tardive dyskinesia, hyperkinesia, dyslexia, schizophrenia, multi-infarct dementia, age-related cognitive decline, epilepsy, including petit mal absence epilepsy, attention

deficit hyperactivity disorder (ADHD), and Tourette's Syndrome in a mammal, comprising a nicotinic receptor modulating amount of a compound according to claim 1 and a pharmaceutically acceptable carrier.

28. A method of treating a disorder or condition selected from inflammatory bowel
5 disease, ulcerative colitis, pyoderma gangrenosum, Crohn's disease, irritable bowel syndrome, spastic dystonia, chronic pain, acute pain, celiac sprue, pouchitis, vasoconstriction, anxiety, panic disorder, depression, bipolar disorder, autism, sleep disorders, jet lag, amyotrophic lateral sclerosis (ALS), cognitive dysfunction; drug/toxin-induced cognitive impairment arising from
10 alcohol, barbiturates, vitamin deficiencies, recreational drugs, lead, arsenic, or mercury; disease-induced cognitive impairment arising from Alzheimer's disease, senile dementia, vascular dementia, Parkinson's disease, multiple sclerosis, AIDS, encephalitis, trauma, renal and hepatic encephalopathy, hypothyroidism, Pick's disease, Korsakoff's syndrome, frontal dementia or subcortical dementia; hypertension, bulimia, anorexia, obesity, cardiac arrhythmias, gastric acid hypersecretion, ulcers, pheochromocytoma, progressive supramuscular palsy;
15 chemical dependencies and addictions on or to nicotine, tobacco products, alcohol, benzodiazepines, barbiturates, opioids or cocaine; headache, migraine, stroke, traumatic brain injury (TBI), obsessive-compulsive disorder (OCD), psychosis, Huntington's chorea, tardive dyskinesia, hyperkinesia, dyslexia, schizophrenia, multi-infarct dementia, age-related cognitive decline, epilepsy, including petit mal absence epilepsy, attention deficit hyperactivity disorder
20 (ADHD), and Tourette's Syndrome in a mammal, comprising administering to a mammal in need of such treatment a nicotinic receptor modulating amount of a compound according to claim 1.